

**Sixo**  
**NEW KHARA**  
BUSINESS RANGE





**SIXO**  
**NEW KHARA**

**Collaborative space - 6 people**

The Smart Pod Sixo New Khara Sixo is the ideal solution for small group meetings, group work, video conferencing and other uses. This elegant, spacious smart pod can accommodate up to six people, making it ideal for small teams.

This range features the optional ARS® (Air Cooling System) to help cool the temperature inside the pod by up to 3 degrees.

Thanks to its advanced technology.



**COMPONENT'S CERTIFICATIONS**




2164




2113

1685



1690



1863



Screen 23,6" (Option)  
 1 central screen  
 or 2 side screens

Ⓐ



**Dimmer**  
**Light and ventilation**

A 5-speed dimmer switch for light and ventilation is mounted on the central column, allowing you to adjust the intensity of each piece of equipment as you wish. By default, smart pods are equipped with light, ventilation and connectors. They are activated when a person enters the smart pod.

The air inside the smart pod is fully regenerated every minute (intensity adjustable with the dimmer) When the smart pod is no longer occupied, it will remain on and continue to ventilate for 3 minutes to ensure that the air is fully regenerated for the next use. Once these 3 minutes have elapsed, the light and ventilation switch off automatically.


Of course, the smart pod can be occupied directly after the last use without waiting the 3 minutes.

In a SIXO smart pod, the recommended time of use is estimated at 1h - 1h30.

Ⓑ



**Connectivity:**  
 1 x 110v + USB A + USB C  
 + 1 X RJ45 + Option: 1 x HDMI









\*\*\*\*Disponibile acustic back, semi-glass back or full glass back

<b>DIMENSIONS</b> LENGTH - WIDTH - HEIGHT	2164mm x 1685mm x 2113mm - Option ARS + 90mm(H)
<b>WEIGHT</b>	830kg
<b>ACOUSTICS</b>	Up to 27.5 dB according to ISO 23351-1-2020
<b>VENTILATION</b>	Ultra silent - Fresh air in less than a minute - 385.36 m3/h
<b>OCCUPIED SURFACE</b>	3.568m2
<b>CONNECTIONS</b>	2x110v + 1xUSB A + 1 x USB C + 1 RJ45 - Option: HDMI
<b>SCREEN</b>	23.6" (Option) 1 central screen or 2 side screens
<b>ELECTRICAL CONSUMPTION</b>	69.2 w (Standby 12 w)

## New Khara Technology

Discover our technological systems in the New Khara range

<p><b>Acoustic</b></p>  <p>Up to <b>29.5 dbA</b> According to ISO 23351-1:2020</p>	<p><b>Ventilation</b></p>  <p>Ventilation intensity regulation</p>	<p><b>Compact</b></p>  <p>Optimized surface</p>	<p><b>Mobile</b></p>  <p>15 integrated wheels</p>	<p><b>Light</b></p>  <p>Illumination intensity regulation</p>
---	---	--	--	--



## IN

8x Fan - 80mm  
Fan Airflow---385,36 m<sup>3</sup>/h  
**Option:**  
**ARS® (Air cooling system)**


## OUT

2x Fan - 120mm  
Fan Airflow---232,42 m<sup>3</sup>/h



### FAN - 120mm Specifications:

Dimension -----120x120x25 mm  
Fan Airflow -----116,21 m<sup>3</sup>/h



### FAN - 80mm Specifications.:

Dimension -----80x80x25 mm  
Fan Airflow -----48,17 m<sup>3</sup>/h

**INNOVATION AND LUXURY** | OPTION



**WOOD - BRUT CP**

The structure of our smart pods is made of birch plywood. This type of plywood is produced from 100% birch wood, obtained by gluing adjacent layers together with crossed, right-angled wires of high quality and durability. It offers a number of advantages, including durability, wear resistance and resistance to more aggressive environments.

# SIXO *by*

 **Esedis Group**

NET POSITIVE GROUP

Ph. +1 437 882 9264 - +1 581 3093 1626

[CONTACT@ESEDIS-GROUP.COM](mailto:CONTACT@ESEDIS-GROUP.COM)

[WWW.ESEDIS-GROUP.COM](http://WWW.ESEDIS-GROUP.COM)



CERTIFIED  
**ISO 9001**



PT008341